

# SAFETY DATA SHEET

DP 40 LIGHT GRAY, SKINNING BUTYL CAULK

Page: 1

===== SECTION I – PRODUCT AND COMPANY IDENTIFICATION =====

PRODUCT NAME: LIGHT GRAY, SKINNING BUTYL CAULK  
PRODUCT CODE: DP 40  
MANUFACTURERS' NAME: DESIGN POLYMERICS  
ADDRESS: 3301 W. Segerstrom Ave.  
Santa Ana, CA 92704  
EMERGENCY PHONE: Chem-Tel: (800) 255-3924 (24 Hrs)  
BUSINESS HOURS: 7:30am – 4:30pm PT  
REVISION DATE: April 4, 2016  
INFORMATION PHONE: (714) 432-0600  
REVISION #: 2.0  
PREPARED BY: Technical Dept. Supersedes all previous

===== SECTION II – HAZARD IDENTIFICATION =====

**EMERGENCY OVERVIEW:** This product is light gray liquid with a slight putrid odor.  
**Health Hazards:** This product may cause eye, skin and respiratory system irritation. May cause drowsiness and dizziness. May be a reproductive hazard.  
**Flammability Hazards:** This product is a non-flammable liquid.  
**Reactivity Hazards:** None  
**Environmental Hazards:** The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

**US DOT Symbols:** NONE



**EU and GHS Symbols:** Danger!

**2.1 EU Labeling and Classification:**

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent directives.

**EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:**

**Index Number:**

EC#271-366-9 is not listed in "Annex VI

Substances not listed either individually or in group entries must be self-classified.

**Components Contributing to Classification:** Mineral Spirits

**2.2 Label Elements:**

<b>GHS Hazard Classifications:</b>	Aspiration Toxicity Category 1
<b>Hazard Statements:</b>	H304: May be fatal if swallowed and enters airways
<b>Precautionary Statements:</b>	None
<b>Response Statements:</b>	P301+P310 IF SWALLOWED: Immediately call pPoison Center/doctor P331 Do NOT induce Vomiting P405: Store locked up. P501: Dispose of contents/container in accordance with local/regional/national/international regulations
<b>Storage Statements:</b>	
<b>Disposal Statements:</b>	

**2.3 Health Hazards or Risks From Exposure:**

**Symptoms of Overexposure by Route of Exposure:**

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

**Acute:**

Inhalation: Inhalation of this product may cause irritation.  
Skin Contact: Prolonged skin contact may cause irritation.  
Eye Contact: Contact with eyes may cause irritation.  
Ingestion: Aspiration hazard if swallowed and enters airways.

# SAFETY DATA SHEET

DP 40 LIGHT GRAY, SKINNING BUTYL CAULK

Page: 2

Chronic: None known.

Target Organs: None Known

## SECTION III – COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT %	CAS No.	EINECS NO.	Hazard Classification
Mineral Spirits	10-15%	68551-17-7	271-366-9	H304: Aspiration Toxicity Cat 1, Aquatic Chronic Cat 4
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers)				

**Note:** All WHMIS required information is included in appropriate sections based on the ANSE Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

## SECTION IV – FIRST AID MEASURES

### 4.1 Description of First Aid Measures:

- Eye Contact:** If product enters eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.
- Skin Contact:** Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.
- Inhalation:** If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.
- Ingestion:** If product is swallowed, call physician or poison center immediately. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

### Medical Conditions Generally

**Aggravated by Exposure:** Pre-existing skin, respiratory system or eye problems may be aggravated by prolonged exposure.

**4.2 Symptoms and Effects Both Acute and Delayed:** Exposure to skin, eyes and respiratory system may cause irritation.

**4.3 Recommendations to Physicians:** Treat symptoms and eliminate overexposure.

## SECTION V - FIRE-FIGHTING MEASURES

### 5.1 Fire Extinguishing Materials:

Use the following fire extinguishing Materials:

<b>Water Spray:</b>	Yes	<b>Carbon Dioxide:</b>	Yes
<b>Foam:</b>	Yes	<b>Dry Chemical:</b>	Yes
<b>Halon:</b>	Yes	<b>Other:</b>	Any "C" Class

### 5.2 Unusual Fire and Explosion Hazards:

Explosive Sensitivity to Mechanical Impact:	No
Explosive Sensitivity to Static Discharge:	No

### 5.3 Special Fire Fighting Procedures:








- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel.
- Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.

# S A F E T Y   D A T A   S H E E T

DP 40

LIGHT GRAY, SKINNING BUTYL CAULK

Page: 3

<p><b>NFPA RATING SYSTEM</b></p>  <p style="text-align: center;">Flammability 0 Health      2      Reactivity 0 Other</p>	<p><b>HMIS RATING SYSTEM</b> HAZARDOUS MATERIAL IDENTIFICATION SYSTEM</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #00aaff; color: white;">HEALTH HAZARD (BLUE)</td> <td style="text-align: center; color: white;">2</td> </tr> <tr> <td style="background-color: #ff0000; color: white;">FLAMMABILITY HAZARD (RED)</td> <td style="text-align: center; color: white;">0</td> </tr> <tr> <td style="background-color: #ffff00; color: black;">PHYSICAL HAZARD (YELLOW)</td> <td style="text-align: center; color: black;">0</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <th colspan="4">PROTECTIVE EQUIPMENT</th> </tr> <tr> <th>EYES</th> <th>RESPIRATORY</th> <th>HANDS</th> <th>BODY</th> </tr> <tr> <td style="text-align: center;"></td> <td style="text-align: center;">See Sect 8</td> <td style="text-align: center;"></td> <td style="text-align: center;">See Sect 8</td> </tr> </table> <p style="text-align: center; font-size: small;">For Routine Industrial Use and Handling Applications</p>	HEALTH HAZARD (BLUE)	2	FLAMMABILITY HAZARD (RED)	0	PHYSICAL HAZARD (YELLOW)	0	PROTECTIVE EQUIPMENT				EYES	RESPIRATORY	HANDS	BODY		See Sect 8		See Sect 8
HEALTH HAZARD (BLUE)	2																		
FLAMMABILITY HAZARD (RED)	0																		
PHYSICAL HAZARD (YELLOW)	0																		
PROTECTIVE EQUIPMENT																			
EYES	RESPIRATORY	HANDS	BODY																
	See Sect 8		See Sect 8																
<p><b>Hazard Scale: 0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic Hazard</b></p>																			

===== SECTION VI – ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS) =====

**6.1 Personal Precautions, Protective equipment and Emergency Procedures:**

Use cautious judgement when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

**6.2 Environmental Precautions:**

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

**6.3 Spill and Leak Response:**

**Small Spills:**

collect material via broom or mop. Place in tightly sealed containers for proper disposal. Approach spill areas with caution.

**Large Spills:**

If liquid was introduced, create a dike or trench to contain material. Soak up with absorbent material such as clay, sand or other suitable non-reactive material. Place in leak-proof containers. Seal tightly for proper disposal. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

===== SECTION VII – HANDLING AND STORAGE =====

**7.1 Precautions for Safe Handling:**

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

**7.2 Storage and Handling Practices:**

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

**7.3 Specific Uses:**

Standing seam sealer.

===== SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION =====

Ingredients	CAS No.	OSHA PEL	NIOSH PEL
Mineral Spirits	68551-17-7	Not Established	Not Established

**8.2 Exposure Controls:**

**Ventilation and Engineering Controls:**

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

# S A F E T Y   D A T A   S H E E T

DP 40      LIGHT GRAY, SKINNING BUTYL CAULK

Page: 4

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

<b>Respiratory Protection:</b>	Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.143), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.
<b>Eye Protection:</b>	Safety glasses or goggles are required. If necessary, refer to U.S. OSHA CFR 1910.133, Canadian Standards, and the European Standard EN 166, Australian Standards, or relevant Japanese Standards.
<b>Hand Protection:</b>	Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.
<b>Body Protection:</b>	Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.36.

===== SECTION IX - PHYSICAL / CHEMICAL PROPERTIES =====

**9.1 Information on Basic Physical and Chemical Properties:**

<b>Appearance (Physical State and Color):</b>	Light Gray Liquid
<b>Odor:</b>	Slight putrid odor
<b>Odor Threshold:</b>	No data available
<b>pH:</b>	No data available
<b>Melting/Freezing Point:</b>	No data available
<b>Boiling Point:</b>	No data available
<b>Flash Point:</b>	No data available
<b>Evaporation Rate:</b>	No data available
<b>Flammability (Solid;Gas):</b>	No data available
<b>Upper/Lower Flammability or Explosion Limit:</b>	Not applicable
<b>Vapor Pressure (mm Hg@20°C (68°F):</b>	No data available
<b>Vapor Density:</b>	No data available
<b>Relative Density:</b>	No data available
<b>Specific Gravity:</b>	1.5
<b>Solubility in Water:</b>	None
<b>Weight per Gallon:</b>	No data available
<b>Partition Coefficient (n-octanol/water):</b>	No data available
<b>Auto-Ignition Temperature:</b>	No data available
<b>Decomposition Temperature:</b>	No data available
<b>Viscosity:</b>	No data available

**9.2 Other Information:**      No Data Available

===== SECTION X – STABILITY AND REACTIVITY DATA =====

<b><u>10.1 Reactivity:</u></b>	This Product is not reactive.
<b><u>10.2 Stability:</u></b>	Stable under conditions of normal storage and use.
<b><u>10.3 Possibility of Hazardous Reactions:</u></b>	Will not occur.
<b><u>10.4 Conditions to Avoid:</u></b>	Avoid heat, sparks and flame.
<b><u>10.5 Incompatible Substances:</u></b>	Strong oxidizing agents.
<b><u>10.6 Hazardous Decomposition Products:</u></b>	Carbon dioxide and carbon monoxide.

# SAFETY DATA SHEET

DP 40 LIGHT GRAY, SKINNING BUTYL CAULK

Page: 5

## SECTION XI – TOXICOLOGICAL INFORMATION

### 11.1 Information on Toxicological Effects:

**Toxicity Data:** No specific data available on this product.  
**Suspected Cancer Agent:** Ingredients within this product are not found on one or more of the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be cancer-causing agents by these agencies.  
**Irritancy:** This product is not expected to be a skin, eye or respiratory irritant.  
**Sensitization to the Product:** This product is not expected to cause skin sensitization.  
**Germ Cell Mutagenicity:** This product does not contain ingredients that are suspected to be a germ cell mutagenic.  
**Reproductive Toxicity:** This product is not expected to be a human reproductive toxicant.

## SECTION XII – ECOLOGICAL INFORMATION

**12.1 Toxicity:** No specific data available on this product.  
**12.2 Persistence and Degradability:** No specific data available on this product.  
**12.3 Bioaccumulative Potential:** No specific data available on this product.  
**12.4 Mobility in Soil:** No specific data available on this product.  
**12.5 Results of PBT and vPvB Assessment:** No specific data available on this product.  
**12.6 Other Adverse Effects:** No data available  
**12.7 Water Endangerment Class:** At present, there are no Eco toxicological assessments for this product.

## SECTION XIII – DISPOSAL CONSIDERATIONS

**13.1 Waste Treatment Methods:** Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan.  
**13.2 EU Waste Code:** Not determined.

## SECTION XIV – TRANSPORTATION INFORMATION

### 14.1 U.S. Department of Transportation (DOT) Shipping Regulations (BULK)

*This product is classified (per 49CFR 172.101) by the U.S. Department of Transportation, as follows.*

**UN Identification Number:** None.  
**Proper Shipping Name:** None  
**Hazard Class Number and Description:** Not Regulated  
**Packing Group:** None  
**DOT Label(s) Required:** None  
**North American Emergency Response Guidebook Number:** None

### 14.2 Environmental Hazards:

**Marine Pollutant:** The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).  
None

### 14.3 Special Precaution for User:

### 14.4 International Air Transport Association Information (IATA):

This product is not considered as dangerous goods.

### 14.5 International Maritime Organization Shipping Information (IMO):

This product is not considered as dangerous goods.

## SECTION XV – REGULATORY INFORMATION

### 15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

#### United States Regulations:

#### U.S. SARA Reporting Requirements:

The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act: None

#### U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: No; Fire: Yes; Reactivity: No

#### U.S. CERCLA Reportable Quantity:

Reportable Quantity (RQ): None

#### U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

# S A F E T Y   D A T A   S H E E T

DP 40

LIGHT GRAY, SKINNING BUTYL CAULK

Page: 6

**Other U.S. Federal Regulations:**

None known

**California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):**

This product does not contain ingredients on the Proposition 65 Lists.

None

**15.2 Canadian Regulations:**

**Canadian DSL/NDSL Inventory Status:**

Components are DSL Listed, NDSL Listed and/or exempt from listing

**Other Canadian Regulations:**

Not applicable

**Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

**Canadian WHMIS Classification and Symbols:**

This product is classified per WHMIS Controlled Product Regulations.

**15.3 European Economic Community Information:**

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

**Chemical Safety Assessment:**

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

**15.4 Australian Information for Product:**

Components of this product are listed on the International Chemical Inventory list.

**15.5 Japanese Information for Product:**

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

**15.6 International Chemical Inventories:**

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

===== SECTION XVI –OTHER INFORMATION =====

SDS Creation Date: April 4, 2016  
SDS Revision Date: April 4, 2016  
MSDS Revision Notes: New  
MSDS Author: Technical Department

Disclaimer: The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to Design Polymerics from its suppliers, and because Design Polymerics has no control over the conditions of handling and use, Design Polymerics makes no warranty, express or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and Design Polymerics assumes no responsibility from use or reliance thereon. It is the responsibility of the user of Design Polymerics products to comply with all applicable Federal, State and Local Laws and Regulations.